




OUTDOOR 12

LED RECESSED LUMINAIRES

TANKLIGHT FORTIMO SLM




Recessed IP54 LED luminaire. Body is made of aluminium and it is available in all RAL colours. Light source - Philips Fortimo SLM or Osram PrevaLED module. Standard EVG ballast, Touch DALI version on request (please add TD after index number).

Index no.	Lumen output	Wattage	Colour temp.	Colour rendering index	Lifetime	Weight
0000-002954.1100/830	1100 lm	12 W	3000 K	82 Ra	50,000 h	2,26 kg
0000-002954.1100/840	1100 lm	12 W	4000 K	82 Ra	50,000 h	2,26 kg
0000-002954.1100/927	1100 lm	12 W	2700 K	97 Ra	50,000 h	2,26 kg
0000-002954.1100/930	1100 lm	12 W	3000 K	97 Ra	50,000 h	2,26 kg
0000-002954.1100/940	1100 lm	12 W	4000 K	97 Ra	50,000 h	2,26 kg
0000-002954.2000/830	2000 lm	21 W	3000 K	82 Ra	50,000 h	2,26 kg
0000-002954.2000/840	2000 lm	21 W	4000 K	82 Ra	50,000 h	2,26 kg
0000-002954.2000/927	2000 lm	21 W	2700 K	97 Ra	50,000 h	2,26 kg
0000-002954.2000/930	2000 lm	21 W	3000 K	97 Ra	50,000 h	2,26 kg
0000-002954.2000/940	2000 lm	21 W	4000 K	97 Ra	50,000 h	2,26 kg
0000-002954.3000/830	3000 lm	30 W	3000 K	82 Ra	50,000 h	2,26 kg
0000-002954.3000/840	3000 lm	30 W	4000 K	82 Ra	50,000 h	2,26 kg
0000-002954.3000/927	3000 lm	30 W	2700 K	97 Ra	50,000 h	2,26 kg
0000-002954.3000/930	3000 lm	30 W	3000 K	97 Ra	50,000 h	2,26 kg
0000-002954.3000/940	3000 lm	30 W	4000 K	97 Ra	50,000 h	2,26 kg



DL 170 FORTIMO DLM



Recessed IP54 LED luminaire. Body is made of aluminium and it is available in all RAL colours. Light source - Philips Fortimo LED DLM module. Standard EVG ballast, Touch DALI version on request (please add TD after index number). This LED downlight is also available with 3 hour emergency unit.

Index no.	Lumen output	Wattage	Colour temp.	Colour rendering index	Lifetime	Weight
0000-003206.1100/830	1100 lm	14 W	3000 K	80 Ra	50,000 h	2,00 kg
0000-003206.1100/840	1100 lm	12 W	4000 K	80 Ra	50,000 h	2,00 kg
0000-003206.2000/830	2000 lm	24 W	3000 K	80 Ra	50,000 h	2,00 kg
0000-003206.2000/840	2000 lm	22 W	4000 K	80 Ra	50,000 h	2,00 kg
0000-003206.3000/830	3000 lm	37 W	3000 K	80 Ra	50,000 h	2,00 kg
0000-003206.3000/840	3000 lm	34 W	4000 K	80 Ra	50,000 h	2,00 kg



DL 220 SOIL FORTIMO DLM

OUTDOOR STRIPE