





408

GOT 140 SPOT NEW



416

SWL SPOT 111



422

SUNSHINE SPOT



408

GOT 140 SPOT - X



418

GOT 140 SPOT SWL



422

SUNSHINE SPOT QR111



410

GOT 140 SPOT ECO WL



418

GOT 140 SPOT SWL D



423

KANTARE R7S



410

GOT 140 SPOT ECO



419

GOT 140 SPOT SWL SS



423

SPOT LINE CDM



412

GOT 140 SPOT SDW - TG



419

GOT 140 SPOT SWL D SS



424

DAMARIS SPOT



412

DLN 140 C



420

PROFI 1 SPOT



424

KEY SPOT NEW



414

GOT 140 THEATRE SPOT



420

PROFI 3 SPOT



426

TRACK SYSTEMS



414

AMICUS



421

PROFI 2 SPOT



416

GOT 140 SPOT - SP



421

FALCO 2S

21 SPOT LAMPS

GOT 70 ECO SPOT




Track mounted spot lamp for low voltage halogen lamp MR 16. Body is made of steel and aluminium. All RAL colours are available.

IP20

230 V
50 Hz

CE



Index no.	Lamp	Weight	Socket
305.20E	EVG, 1x20W MR16	0,45 kg	GU5,3
305.35E	EVG, 1x35W MR16	0,45 kg	GU5,3
305.50E	EVG, 1x50W MR16	0,45 kg	GU5,3


GOT 70 ECO SPOT WL

Surface mounted (wall or ceiling) spot lamp for low voltage halogen lamp MR 16. Body is made of steel and aluminium. All RAL colours are available.

IP20

230 V
50 Hz

CE




Index no.	Lamp	Weight	Socket
306.20E	EVG, 1x20W MR16	0,45 kg	GU5,3
306.35E	EVG, 1x35W MR16	0,45 kg	GU5,3
306.50E	EVG, 1x50W MR16	0,45 kg	GU5,3



GOT 70 SPOT



Track mounted spot lamp for low voltage halogen lamp MR 16 – Decostar 51 Alu. Body is made of steel and aluminium. All RAL colours are available.




- IP20
- 230 V 50 Hz
- Energy saving class: A
- CE

Index no.	Lamp	Weight	Socket
307.20E	EVG, 1x20W MR16	0,55 kg	GU5,3
307.35E	EVG, 1x35W MR16	0,55 kg	GU5,3
307.50E	EVG, 1x50W MR16	0,55 kg	GU5,3

GOT 70 SPOT WL

Surface mounted (wall or ceiling) spot lamp for low voltage halogen lamp MR 16 – Decostar 51 Alu. Body is made of steel and aluminium. All RAL colours are available.



- IP20
- 230 V 50 Hz
- Energy saving class: A
- CE


Index no.	Lamp	Weight	Socket
308.20E	EVG, 1x20W MR16	0,55 kg	GU5,3
308.35E	EVG, 1x35W MR16	0,55 kg	GU5,3
308.50E	EVG, 1x50W MR16	0,55 kg	GU5,3



TRACK LIGHT MR16



Track mounted luminaire for low voltage halogen lamp MR 16. Body is made of steel and aluminium. All RAL colours are available.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
304.20E	EVG, 1x20W MR16	0,90 kg	GU5,3
304.35E	EVG, 1x35W MR16	0,90 kg	GU5,3
304.50E	EVG, 1x50W MR16	0,90 kg	GU5,3

BRIGHT SPOT

Track mounted spot lamp for new CMH MR16 lamp. Body is made of steel and aluminium. All RAL colours are available.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
240.20E	EVG, 1x20W CMH MR16	0,40 kg	GX10

Track mounted spot lamp for CDM-Tm lamp. Body is made of steel and aluminium. All RAL colours are possible.



Index no.	Lamp	Weight	Socket
243.20E	EVG, 1x20W CDM-Tm	0,50 kg	PGJ5
243.35E	EVG, 1x35W CDM-Tm	0,50 kg	PGJ5




TR SPOT QR111

Track mounted spot lamp for QR111 lamp. Body is made of aluminium and steel. All RAL colours are available.



Index no.	Lamp	Weight	Socket
239.35E	EVG, 1x35W QR111	0,50 kg	G53
239.50E	EVG, 1x50W QR111	0,50 kg	G53



Q - SPOT




Track mounted luminaire for QR111 lamp. Body is made of steel and aluminium. All RAL colours are available.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
303.50E	EVG, 1x50W QR111	0,75 kg	G53
303.75E	EVG, 1x75W QR111	0,75 kg	G53
303.100E	EVG, 1x100W QR111	0,75 kg	G53




GOT CLASSIC

Track spot for CDM-TC lamp. Body is made of aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
257.35E	EVG, 1x35W CDM-TC	1,30 kg	G8,5
257.70E	EVG, 1x70W CDM-TC	1,30 kg	G8,5




Track mounted spot for CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-002664.135E	EVG, 1x35W CDM-TC	1,50 kg	G8,5
0000-002664.170E	EVG, 1x70W CDM-TC	1,50 kg	G8,5

KL - TC SPOT



Index no.	Lamp	Weight	Socket
241.35E	EVG, 1x35W CDM-TC	1,50 kg	G8,5
241.70E	EVG, 1x70W CDM-TC	1,50 kg	G8,5

GOT WING MM




Track mounted spot lamp for CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are possible. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
242.35E	EVG, 1x35W CDM-TC	1,50 kg	G8,5
242.70E	EVG, 1x70W CDM-TC	1,50 kg	G8,5




GOT WING SPOT

Track mounted spot luminaire for CDM-T lamp. All RAL colours are available. Body is made of steel and aluminium. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
233.35E	EVG, 1x35W CDM-T	1,95 kg	G-12
233.70E	EVG, 1x70W CDM-T	1,95 kg	G-12





GOT WING SPOT MINI




Track mounted spot luminaire for CDM-TC lamp. All RAL colours are available. Body is made of steel and aluminium. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE




Index no.	Lamp	Weight	Socket
254.35E	EVG, 1x35W CDM-TC	1,70 kg	G8,5
254.70E	EVG, 1x70W CDM-TC	1,70 kg	G8,5




GOT WING SPOT MINI DOUBLE

Track mounted spot lamp for CDM-TC lamp. All RAL colours are available. Body is made of steel and aluminium. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE



Index no.	Lamp	Weight	Socket
255.235E	EVG, 2x35W CDM-TC	3,20 kg	G8,5
255.270E	EVG, 2x70W CDM-TC	3,20 kg	G8,5







GRAL SPOT



Track mounted spot lamp for PAR 30 CDM-R lamp. Body is made of steel and aluminium. All RAL colours are available.

- IP20
- 230 V 50 Hz
- Energy saving icon
- Grounding icon
- CE




Index no.	Lamp	Weight	Socket
270.35E	EVG, CDM-R 1x35W PAR30L	1,15 kg	E27
270.70E	EVG, CDM-R 1x70W PAR30L	1,15 kg	E27

KARAT SPOT

Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.


- IP20
- 230 V 50 Hz
- Energy saving icon
- Grounding icon
- CE



Index no.	Lamp	Weight	Socket
271.35E	EVG, 1x35W CDM-T	2,35 kg	G12
271.70E	EVG, 1x70W CDM-T	2,35 kg	G12



Track mounted spot for CDM-TD lamp. Body is made of steel and aluminium. All RAL colours are available.




- IP20
- 230 V 50 Hz
- V
- ⊕
- CE

Index no.	Lamp	Weight	Socket
0000-002670.170V	VVG, 1x70W CDM-TD	3,80 kg	Rx7s
0000-002670.1150V	VVG, 1x150W CDM-TD	4,40 kg	Rx7s

SLIM SPOT

Track mounted spot lamp for CDM-Tm lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




- IP20
- 230 V 50 Hz
- V
- ⊕
- CE

Index no.	Lamp	Weight	Socket
0000-002666.120E	EVG, 1x20W CDM-Tm	1,10 kg	PGJ5
0000-002666.135E	EVG, 1x35W CDM-Tm	1,10 kg	PGJ5

Track mounted spot lamp for CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-002667.135E	EVG, 1x35W CDM-TC	1,20 kg	G 8,5
0000-002667.170E	EVG, 1x70W CDM-TC	1,20 kg	G 8,5




G - MINI

Track mounted spot lamp for CDM-Tm or CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are possible. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-003044.120E	EVG, 1x20W CDM-Tm Elite	0,95 kg	GU6,5
0000-003044.135E	EVG, 1x35W CDM-Tm Elite	0,95 kg	GU6,5
0000-003044.150E	EVG, 1x50W CDM-Tm Elite	0,95 kg	GU6,5
0000-003044.135E/1	EVG, 1x35W CDM-TC	0,95 kg	G8,5
0000-003044.150E/1	EVG, 1x50W CDM-TC	0,95 kg	G8,5



METRO SPOT CDM - T




Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V
50 Hz
-
-
- CE



Index no.	Lamp	Weight	Socket
0000-002668.135E	EVG, 1x35W CDM-T	1,70 kg	G12
0000-002668.170E	EVG, 1x70W CDM-T	1,70 kg	G12




METRO SPOT QR111

Track mounted spot lamp for QR111 lamp. Body is made of steel and aluminium. All RAL colours are available.


- IP20
- 230 V
50 Hz
-
-
- CE



Index no.	Lamp	Weight	Socket
0000-002669.1QR111	1xQR111	1,50 kg	G53




Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-003268.135E	EVG, 1x35W CDM-T	1,24 kg	G12
0000-003268.150E	EVG, 1x50W CDM-T	1,24 kg	G12
0000-003268.170E	EVG, 1x70W CDM-T	1,24 kg	G12

STAR SPOT

Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-003359.135E	EVG, 1x35W CDM-T	1,32 kg	G12
0000-003359.150E	EVG, 1x50W CDM-T	1,32 kg	G12
0000-003359.170E	EVG, 1x70W CDM-T	1,32 kg	G12



R1 MINI




Track mounted spot lamp for CDM-Tm lamp. Body is made of steel and aluminium. All RAL colours are possible. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-003042.120E	EVG, 1x20W CDM-Tm	0,75 kg	PGJ5
0000-003042.135E	EVG, 1x35W CDM-Tm	0,75 kg	PGJ5
0000-003042.150E	EVG, 1x50W CDM-Tm	0,75 kg	PGJ5




R1 - SPOT

Track mounted spot lamp for CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE




Index no.	Lamp	Weight	Socket
0000-002665.135E	EVG, 1x35W CDM-TC	1,15 kg	G 8,5
0000-002665.170E	EVG, 1x70W CDM-TC	1,15 kg	G 8,5



Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
601.135 E	EVG, 1xCDM-T 35 W	1,50 kg	G 12
601.170E	EVG, 1xCDM-T 70 W	1,50 kg	G 12




GOT 120 MINI

Track mounted spot lamp for CDM-T or CDM-TC lamp. Body is made of steel and aluminium. All RAL colours are possible. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




Index no.	Lamp	Weight	Socket
0000-003060.135E	EVG, 1x35W CDM-TC	1,45 kg	G8,5
0000-003060.150E	EVG, 1x50W CDM-TC	1,45 kg	G8,5
0000-003060.135E/1	EVG, 1x35W CDM-T	1,45 kg	G12
0000-003060.150E/1	EVG, 1x50W CDM-T	1,45 kg	G12



GOT 140 SPOT ST



Track (or ceiling) mounted spot lamp for CDM-T lamps. Body is made of steel and aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




- IP20
- 230 V 50 Hz
- △
- ⊕
- CE

Index no.	Lamp	Weight	Socket
0000-002521.135E	EVG, 1x35W CDM-T	1,30 kg	G12
0000-002521.170E	EVG, 1x70W CDM-T	1,30 kg	G12
0000-002520.135E	EVG, 1x35W CDM-R111	1,30 kg	GX8,5
0000-002520.170E	EVG, 1x70W CDM-R111	1,30 kg	GX8,5

GOT 140 SPOT ECO ST

Track (or ceiling) mounted spot lamp for CDM-T lamps. Body is made of steel and aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



- IP20
- 230 V 50 Hz
- △
- ⊕
- CE


Index no.	Lamp	Weight	Socket
0000-003039.135E	EVG, 1x35W CDM-T	1,30 kg	G12
0000-003039.170E	EVG, 1x70W CDM-T	1,30 kg	G12
0000-003061.135E	EVG, 1x35W CDM-R111	1,30 kg	GX8,5
0000-003061.170E	EVG, 1x70W CDM-R111	1,30 kg	GX8,5



GOT 120 SPOT

Track mounted spot lamp for CDM-T lamp. All RAL colours are available. Body is made of steel and aluminium. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- V
- ⏚
- CE




Index no.	Lamp	Weight	Socket
146.120.35V	VVG, 1x35W CDM-T	2,10 kg	G12
146.120.35E	EVG, 1x35W CDM-T	1,20 kg	G12

GOT 140 SPOT QR111

Track mounted spot lamp for QR111 lamp. Body is made of aluminium. All RAL colours are available.

- IP20
- 230 V 50 Hz
- V
- ⏚
- CE



Index no.	Lamp	Weight	Socket
256.140.50E	EVG, 1x50W QR111	1,50 kg	G53
256.140.75E	EVG, 1x75W QR111	1,50 kg	G53
256.140.100E	EVG, 1x100W QR111	1,50 kg	G53



GOT 140 SPOT WL

ARRABRIDGE


Surface mounted (wall or ceiling) spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
113.140.35V	VVG, 1x35W CDM-T	2,55 kg	G12
113.140.35E	EVG, 1x35W CDM-T	1,60 kg	G12
113.140.70V	VVG, 1x70W CDM-T	2,55 kg	G12
113.140.70E	EVG, 1x70W CDM-T	1,60 kg	G12



GOT 140 SPOT


Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
111.140.35V	VVG, 1x35W CDM-T	2,35 kg	G12
111.140.35E	EVG, 1x35W CDM-T	1,40 kg	G12
111.140.70V	VVG, 1x70W CDM-T	2,35 kg	G12
111.140.70E	EVG, 1x70W CDM-T	1,40 kg	G12






GOT 140 SPOT NEW



Track mounted spot lamp for metal halide CDM-T lamp. Body is made of aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.


- IP20
- 230 V
50 Hz
- V
- ⏚
- CE



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
216.140.35V	VVG, 1x35W CDM-T	2,35 kg	G12
216.140.35E	EVG, 1x35W CDM-T	1,40 kg	G12
216.140.70V	VVG, 1x70W CDM-T	2,35 kg	G12
216.140.70E	EVG, 1x70W CDM-T	1,40 kg	G12



GOT 140 SPOT - X

Track spot with decorative attachments for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.


- IP20
- 230 V
50 Hz
- V
- ⏚
- CE



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
258.140.35V	VVG, 1x35W CDM-T	2,90 kg	G12
258.140.35E	EVG, 1x35W CDM-T	2,00 kg	G12
258.140.70V	VVG, 1x70W CDM-T	2,90 kg	G12
258.140.70E	EVG, 1x70W CDM-T	2,00 kg	G12







GOT 140 SPOT ECO WL



Surface (ceiling or wall mounted) spot lamp for CDM-T lamp. Body is made of aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



IP20


230 V
50 Hz

CE


Index no.	Lamp	Weight	Socket
310.140.35V	VVG, 1x35W CDM-T	2,35 kg	G12
310.140.35E	EVG, 1x35W CDM-T	1,40 kg	G12
310.140.70V	VVG, 1x70W CDM-T	2,35 kg	G12
310.140.70E	EVG, 1x70W CDM-T	1,40 kg	G12

GOT 140 SPOT ECO

Track mounted spot lamp for CDM-T lamp. Body is made of aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



IP20

230 V
50 Hz

CE


Index no.	Lamp	Weight	Socket
309.140.35V	VVG, 1x35W CDM-T	2,35 kg	G12
309.140.35E	EVG, 1x35W CDM-T	1,40 kg	G12
309.140.70V	VVG, 1x70W CDM-T	2,35 kg	G12
309.140.70E	EVG, 1x70W CDM-T	1,40 kg	G12




GOT 140 SPOT SDW - TG



Track mounted spot lamp for SDW-TG lamp. Body is made of aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.




This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
215.140.100E	EVG, 1x100W SDW-TG	3,50 kg	GX12-1
215.140.50E	EVG, 1x50W SDW-TG	3,50 kg	GX12-1

DLN 140 C

Track mounted spot lamp for E-27 bulb. Body is made of steel and aluminium. All RAL colours are available.



Index no.	Lamp	Weight	Socket
112.140.60	1x60W	1,00 kg	E27




GOT 140 THEATRE SPOT



Track mounted spot for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE





Index no.	Lamp	Weight	Socket
0000-002522.135V	VVG, 1x35W CDM-T	3,00 kg	G12
0000-002522.135E	EVG, 1x35W CDM-T	2,10 kg	G12
0000-002522.170V	VVG, 1x70W CDM-T	3,00 kg	G12
0000-002522.170E	EVG, 1x70W CDM-T	2,10 kg	G12

AMICUS

Track mounted spot luminaire for halogen lamp. Body is made of steel and aluminium. All RAL colours are available.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-003201.1100E	EVG, 1x100 W	1,78 kg	R7s




GOT 140 SPOT - SP



Track mounted spot lamp for 150 W CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE





Index no.	Lamp	Weight	Socket
541.140.150V	VVG, 1x150W CDM-T	4,30 kg	G-12
541.140.150E	EVG, 1x150W CDM-T	4,00 kg	G-12

SWL SPOT 111

Track mounted spot for CDM-R111 lamp. Body is made of steel and aluminium. All RAL colours are available.

- IP20
- 230 V 50 Hz
- △
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-002357.135E	EVG, 1x35W CDM-R 111	1,40 kg	GX8,5
0000-002357.170E	EVG, 1x70W CDM-R 111	1,40 kg	GX8,5




GOT 140 SPOT SWL



Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.


- IP20
- 230 V 50 Hz
- V
- ⊕
- CE



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°




Index no.	Lamp	Weight	Socket
200.SWL.35E	EVG, 1x35W CDM-T	2,15 kg	G12
200.SWL.70E	EVG, 1x70W CDM-T	2,15 kg	G12
200.SWL.150E	EVG, 1x150W CDM-T	2,30 kg	G12



GOT 140 SPOT SWL D

Track mounted spot lamp for CDM-T lamps. Body is made of steel and aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.


- IP20
- 230 V 50 Hz
- V
- ⊕
- CE



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°




Index no.	Lamp	Weight	Socket
202.SWLD.35E	EVG, 2x35W CDM-T	4,00 kg	G12
202.SWLD.70E	EVG, 2x70W CDM-T	4,00 kg	G12
202.SWLD.150E	EVG, 2x150W CDM-T	4,30 kg	G12




GOT 140 SPOT SWL SS

Track mounted spot lamp for CDM-T lamp. Body is made of stainless steel. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
201.SWLSS.35E	EVG, 1x35W CDM-T	2,15 kg	G12
201.SWLSS.70E	EVG, 1x70W CDM-T	2,15 kg	G12
201.SWLSS.150E	EVG, 1x150W CDM-T	2,30 kg	G12



GOT 140 SPOT SWL D SS


Track mounted spot lamp for CDM-T lamp. Body is made of stainless steel. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



This spot lamp is available with three types of reflectors: spot 24°, medium 36° and wide beam 45°



Index no.	Lamp	Weight	Socket
203.SWLDSS.235E	EVG, 2x35W CDM-T	4,00 kg	G12
203.SWLDSS.270E	EVG, 2x70W CDM-T	4,00 kg	G12
203.SWLDSS.2150E	EVG, 2x150W CDM-T	4,30 kg	G12




PROFI 1 SPOT



Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V
50 Hz
-
-
- CE

Index no.	Lamp	Weight	Socket
0000-002671.135E	EVG, 1x35W CDM-T	1,50 kg	G12
0000-002671.170E	EVG, 1x70W CDM-T	1,50 kg	G12




PROFI 3 SPOT

Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V
50 Hz
-
-
- CE

Index no.	Lamp	Weight	Socket
0000-002673.135E	EVG, 1x35W CDM-T	1,50 kg	G12
0000-002673.170E	EVG, 1x70W CDM-T	1,50 kg	G12




PROFI 2 SPOT

Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-002672.135E	EVG, 1x35W CDM-T	1,50 kg	G12
0000-002672.170E	EVG, 1x70W CDM-T	1,50 kg	G12




FALCO 2S

Track mounted spot lamp for CDM-TC lamps. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



Index no.	Lamp	Weight	Socket
0000-002169.235E	EVG, 2x35W CDM-TC	4,60 kg	G 8,5
0000-002169.270E	EVG, 2x70W CDM-TC	4,60 kg	G 8,5




SUNSHINE SPOT



Track mounted spot lamp for CDM-T or QR111 lamp. Body is made of steel and aluminium. All RAL colours are available. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.

- IP20
- 230 V 50 Hz
- Energy efficiency class: A
- CE




Index no.	Lamp	Weight	Socket
0000-002571.135E	EVG, 1x35W CDM-T	1,30 kg	G12
0000-002571.170E	EVG, 1x70W CDM-T	1,30 kg	G12

SUNSHINE SPOT QR111

Track (or ceiling) mounted spot lamp for CDM-T lamps. Body is made of steel and aluminium and is available in all RAL colours.

- IP20
- 230 V 50 Hz
- Energy efficiency class: A
- CE




Index no.	Lamp	Weight	Socket
0000-002572.1QR111	1xQR111	1,10 kg	G53

Track mounted spot lamp for R7s halogen lamp. Body is made of steel and aluminium. All RAL colours are available.



Index no.	Lamp	Weight	Socket
0000-002403.1120	1x120W halogen	0,90 kg	R7s




SPOT LINE CDM



Index no.	Lamp	Weight	Socket
246.235E	EVG, 2x35W CDM-T	3,40 kg	G12
246.270E	EVG, 2x70W CDM-T	3,40 kg	G12

Track (or ceiling) mounted spot lamp for CDM-T lamps. Body is made of steel and aluminium and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



DAMARIS SPOT




Track mounted spot lamp for CDM-T lamp. Body is made of steel and aluminum and is available in all RAL colours. Damaris spot is available with three types of reflectors: spot , medium and flood. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



- IP20
- 230 V 50 Hz
- Energy efficiency class: A
- CE

Index no.	Lamp	Weight	Socket
0000-003697.135E	EVG, 1x35W CDM-TC	1,36 kg	G8,5
0000-003697.150E	EVG, 1x50W CDM-TC	1,36 kg	G8,5
0000-003697.170E	EVG, 1x70W CDM-TC	1,36 kg	G8,5
0000-003801.150E	EVG, 1x50W QR111	1,36 kg	G53
0000-003801.175E	EVG, 1x75W QR111	1,36 kg	G53
0000-003801.1100E	EVG, 1x100W QR111	1,36 kg	G53




KEY SPOT NEW

Track mounted spot lamp for CDM-TC lamp. Body is made of steel and aluminum and is available in all RAL colours. Glass filters for exposition of meat, fish, bread, cheese and vegetables are available on request.



- IP20
- 230 V 50 Hz
- Energy efficiency class: A
- CE

Index no.	Lamp	Weight	Socket
0000-003793.135E	EVG, 1x35W CDM-TC	1,02 kg	G8,5
0000-003793.170E	EVG, 1x70W CDM-TC	1,02 kg	G8,5







Available colours:
- 1 natural anodised aluminium
- 2 black, RAL 9005




Tracks - length in mm
XTS 4100 1000
XTS 4200 2000
XTS 4300 3000
XTS 4400 4000



Recessed tracks
length in mm
XTSF 4100 1000
XTSF 4200 2000
XTSF 4300 3000
XTSF 4400 4000

The 3-circuit lighting track system is a complete track system for shops, department stores, public facilities, museums, factories, ships etc. The use of a track system relieves the user of the difficult task of determining electrical outlet points accurately in advance. Lighting tracks are designed for easy surface mounting on ceilings and walls, or for recessed mounting in suspended ceilings. A complete suspension system gives a refined finish to any suspended track installation. The tracks can be mounted at right angles and with the adjustable corner connector at different angles or levels depending on structural requirements. In addition to flexibility, quick and easy mounting are basic features in the design of the system. Accessories have been designed in modular dimensions, allowing installation in exact squares and rectangles. The covers open wide for mounting and the power cable is easy to connect.



3-circuit lighting tracks (L1+L2+L3+neutral+earth) 16A/400V, Protection IP20

TRACK SYSTEMS

Accessories :

Feeds

XTS 11 End feed
XTS 12 End feed, mirror image
XTS 14 Middle feed


Connectors


XTS 21 Straight connector
XTS 23 Flexible corner connector
XTS 24 Adjustable corner connector
XTS 34 L-connector
XTS 35 L-connector
XTS 36 T-connector
XTS 37 T-connector
XTS 39 T-connector
XTS 40 T-connector
XTS 38 X-connector
XTS 41 End cap

All connectors can be used as feeding parts, except XTS 21, XTS 23 and XTS 24.


Available colours:

- 2 black, RAL 9005
- 3 white, RAL 9010






Use of L- and T-connectors



TRACK SYSTEMS



Mounting accessories

- SKB 12 Ceiling clamp
- (colours: 1, 2, 3)
- SKB 16 Suspension clamp (1, 3)
- SKB 18 Support (1, 3)
- SKB 21 Wall bracket (1)
- SKB 23 Wall bracket (1)
- SKB 40 Height adjusting sleeve
- M6 (1), adjustable to 20 mm