



610

CLEAN PL



610

CLEAN OP



612

CLEAN SURF PL



612

CLEAN SURF OP

26

CLEAN ROOM LUMINAIRES


CLEAN PL

Recessed clean room IP65 luminaire for T5 lamps with double parabolic louvers and clear acrylic diffuser. Body is made of steel and aluminum and is available in all RAL colours. Standard EVG ballast, 1-10V dimmable or DALI ballast on request.

- IP65
- 230 V
50 Hz
- Δ
- ⏚
- CE



Index no.	Lamp	Weight	Socket
0000-003796.314E	EVG, 3x14W T5	6,32 kg	G5
0000-003796.414E	EVG, 4x14W T5	6,32 kg	G5
0000-003796.324E	EVG, 3x24W T5	6,32 kg	G5
0000-003796.424E	EVG, 4x24W T5	6,32 kg	G5




CLEAN OP

Recessed clean room IP65 luminaire for T5 lamps with opal acrylic diffuser. Body is made of steel and aluminum and is available in all RAL colours. Standard EVG ballast, 1-10V dimmable or DALI ballast on request.

- IP65
- 230 V
50 Hz
- Δ
- ⏚
- CE



Index no.	Lamp	Weight	Socket
0000-003795.314E	EVG, 3x14W T5	8,60 kg	G5
0000-003795.414E	EVG, 4x14W T5	8,60 kg	G5
0000-003795.324E	EVG, 3x24W T5	8,60 kg	G5
0000-003795.424E	EVG, 4x24W T5	8,60 kg	G5





CLEAN SURF PL




Surface mounted clean room IP65 luminaire for T5 lamps with double parabolic louvers and clear acrylic diffuser. Body is made of steel and aluminum and is available in all RAL colours. Standard EVG ballast, 1-10V dimmable or DALI ballast on request.

- IP65
- 230 V 50 Hz
- V
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-003591.314E	EVG, 3x14W T5	7,30 kg	G5
0000-003591.414E	EVG, 4x14W T5	7,30 kg	G5
0000-003591.324E	EVG, 3x24W T5	7,30 kg	G5
0000-003591.424E	EVG, 4x24W T5	7,30 kg	G5



CLEAN SURF OP

Surface mounted clean room IP65 luminaire for T5 lamps with opal acrylic diffuser. Body is made of steel and aluminum and is available in all RAL colours. Standard EVG ballast, 1-10V dimmable or DALI ballast on request.

- IP65
- 230 V 50 Hz
- V
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-003589.314E	EVG, 3x14W T5	6,08 kg	G5
0000-003589.414E	EVG, 4x14W T5	6,08 kg	G5
0000-003589.324E	EVG, 3x24W T5	6,08 kg	G5
0000-003589.424E	EVG, 4x24W T5	6,08 kg	G5

