

OUTDOOR


29
SURFACE
MOUNTED
LUMINAIRES

DLN GOT 170



Surface mounted IP54 luminaire for CDM-T lamp. Body is made of aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
- V
- ⊕
- CE




Index no.	Lamp	Weight	Socket
0000-001703.135E	EVG, 1x35W CDM-T	2,20 kg	G12
0000-001703.170E	EVG, 1x70W CDM-T	2,20 kg	G12

DLN 220 IP54

Surface mounted IP54 luminaire for compact fluorescent lamp. Body is made of aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
- V
- ⊕
- CE





Index no.	Lamp	Weight	Socket
0000-002743.126E	EVG, 1x26W TC-DEL	3,40 kg	G24q - 3
0000-002743.132E	EVG, 1x32W TC-DEL	3,40 kg	GX24q - 3
0000-002743.142E	EVG, 1x42W TC-DEL	3,40 kg	GX24q - 4

Surface mounted IP54 luminaire for CDM-TD lamp. Body is made of steel and aluminium. All RAL colours are available.

IP54

230 V
50 Hz

CE



Index no.	Lamp	Weight	Socket
145.35E	EVG, 1x35W CDM-T	4,00 kg	G-12
145.70E	EVG, 1x70W CDM-T	4,00 kg	G-12
145.150E	EVG, 1x150W CDM-T	5,40 kg	G-12
147.70E	EVG, 1x70W CDM-TD	4,00 kg	RX7s
147.150E	EVG, 1x150W CDM-TD	5,40 kg	RX7s


FLEXLIGHT ENDURA

Surface mounted IP54 luminaire for Osram Endura lamp. Body is made of aluminium profile. All RAL colours are available.

IP54

230 V
50 Hz

CE




Index no.	Lamp	Weight
0000-001891.170E	EVG, 1x70W ENDURA (L = 620 mm)	6,70 kg
0000-001891.1100E	EVG, 1x100W ENDURA (L = 620 mm)	6,70 kg
0000-001891.1150E	EVG, 1x150W ENDURA (L = 720 mm)	6,70 kg

DLN GOT 220



Surface mounted IP54 luminaire for CDM-T lamp. Body is made of aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
-
-
- CE




Index no.	Lamp	Weight	Socket
0000-002742.135E	EVG, 1x35W CDM-T	3,20 kg	G12
0000-002742.170E	EVG, 1x70W CDM-T	3,20 kg	G12
0000-002742.1150E	EVG, 1x150W CDM-T	3,60 kg	G12

DLN 255 IP54

Surface mounted IP54 luminaire for compact fluorescent lamp. Body is made of aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
-
-
- CE



Index no.	Lamp	Weight	Socket
0000-003220.118V	VVG, 1x18W TC-D	2,10 kg	G24d - 2
0000-003220.118E	EVG, 1x18W TC-DEL	1,90 kg	G24q - 2
0000-003220.126V	VVG, 1x26W TC-D	2,20 kg	G24d - 3
0000-003220.126E	EVG, 1x26W TC-DEL	1,95 kg	G24q - 3
0000-003220.218V	VVG, 2x18W TC-D	2,30 kg	G24d - 2
0000-003220.218E	EVG, 2x18W TC-DEL	2,00 kg	G24q - 2
0000-003220.226V	VVG, 2x26W TC-D	2,40 kg	G24d - 3
0000-003220.226E	EVG, 2x26W TC-DEL	2,00 kg	G24q - 3




NEW LINE 255 TA



Surface mounted IP54 luminaire for TC-L lamps. Body is made of steel and aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE




Index no.	Lamp	Weight	Socket
117.255E	EVG, 2x55W TC-L	6,90 kg	2G11

NEW LINE 336 TA

Surface mounted IP54 luminaire for TC-L lamps. Body is made of steel and aluminium. All RAL colours are available.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE




Index no.	Lamp	Weight	Socket
118.336E	EVG, 3x36W TC-L	6,60 kg	2G11



Surface mounted IP54 luminaire for TC-L lamps. Body is made of steel and aluminium. All RAL colours are available.

- IP54
- 230 V 50 Hz
- V
- ⊕
- CE




Index no.	Lamp	Weight	Socket
0000-001697.455E	EVG, 4x55W TC-L	11,90 kg	2G11

FIBRA II

Surface mounted IP65 luminaire for linear lamps.

- IP65
- 230 V 50 Hz
- V
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-002496.118 V	VVG, 1x18W T8	1,20 kg	G13
0000-002496.136 V	VVG, 1x36W T8	2,10 kg	G13
0000-002496.158 V	VVG, 1x58W T8	2,80 kg	G13
0000-002496.218 V	VVG, 2x18W T8	1,90 kg	G13
0000-002496.236 V	VVG, 2x36W T8	3,40 kg	G13
0000-002496.258 V	VVG, 2x58W T8	4,60 kg	G13
0000-002496.118 E	EVG, 1x18W T8	0,90 kg	G13
0000-002496.136 E	EVG, 1x36W T8	1,70 kg	G13
0000-002496.158 E	EVG, 1x58W T8	2,20 kg	G13
0000-002496.218 E	EVG, 2x18W T8	1,60 kg	G13
0000-002496.236 E	EVG, 2x36W T8	2,60 kg	G13
0000-002496.258 E	EVG, 2x58W T8	3,10 kg	G13

Index no.	Lamp	Weight	Socket
0000-002496.114 E	EVG, 1x14W T5	1,20 kg	G5
0000-002496.124 E	EVG, 1x24W T5	1,20 kg	G5
0000-002496.121 E	EVG, 1x21W T5	1,80 kg	G5
0000-002496.139 E	EVG, 1x39W T5	1,80 kg	G5
0000-002496.128 E	EVG, 1x28W T5	2,10 kg	G5
0000-002496.154 E	EVG, 1x54W T5	2,10 kg	G5
0000-002496.135 E	EVG, 1x35W T5	2,80 kg	G5
0000-002496.149 E	EVG, 1x49W T5	2,80 kg	G5
0000-002496.180 E	EVG, 1x80W T5	2,80 kg	G5

Index no.	Lamp	Weight	Socket
0000-002496.214 E	EVG, 2x14W T5	1,20 kg	G5
0000-002496.224 E	EVG, 2x24W T5	1,20 kg	G5
0000-002496.221 E	EVG, 2x21W T5	1,80 kg	G5
0000-002496.239 E	EVG, 2x39W T5	1,80 kg	G5
0000-002496.228 E	EVG, 2x28W T5	2,10 kg	G5
0000-002496.254 E	EVG, 2x54W T5	2,10 kg	G5
0000-002496.235 E	EVG, 2x35W T5	2,80 kg	G5
0000-002496.249 E	EVG, 2x49W T5	2,80 kg	G5
0000-002496.280 E	EVG, 2x80W T5	2,80 kg	G5

