



640

DLN GOT 190 UP/DN



650

WALL LT



640

DLN 190 UP/DN



651

RIGO LUX SM



642

GOT WALL SPOT



651

RIGO SM



642

GOT WALL SPOT DUALL



646

DLN 255 IP54 WALL



646

GOT STATWALL



648

WALL BOX - R



648

WALL HM



650

FIFTYSIX BIG

OUTDOOR

30


WALL LUMINAIRES

DLN GOT 190 UP/DN



Wall mounted IP54 direct/indirect luminaire. Body is made of aluminium. Metal halide light source is placed in horizontal mode. This wall lamp is designed for outdoor use and available only with electronic ballast.

- IP54
- 230 V
50 Hz
-
-
- CE




Index no.	Lamp	Weight	Socket
116.190.35E	EVG, 1x35W CDM-T	2,40 kg	G12
116.190.70E	EVG, 1x70W CDM-T	2,40 kg	G12

DLN 190 UP/DN

Wall mounted IP54 direct/indirect luminaire. Body is made of aluminium and available in all RAL colours.

- IP54
- 230 V
50 Hz
-
-
- CE





Index no.	Lamp	Weight	Socket
0000-001872.226E	EVG, 2x26W TC-DEL	3,90 kg	G24q - 3
0000-001872.232E	EVG, 2x32W TC-DEL	3,90 kg	Gx24q - 3
0000-001872.242E	EVG, 2x42W TC-DEL	3,90 kg	Gx24q - 4



GOT WALL SPOT




Wall mounted IP54 luminaire for metal halide light source. Light source is in vertical mode. Body is made of steel and aluminium, available in all RAL colours.



Index no.	Lamp	Weight	Socket
108.140.35V	VVG, 1x35W CDM-T	2,45 kg	G12
108.140.35E	EVG, 1x35W CDM-T	1,70 kg	G12
108.140.70V	VVG, 1x70W CDM-T	2,45 kg	G12
108.140.70E	EVG, 1x70W CDM-T	1,70 kg	G12

GOT WALL SPOT DUALL

Wall mounted IP54 direct/indirect luminaire. Body is made of steel and aluminium, available in all RAL colours.



Index no.	Lamp	Weight	Socket
0000-001705.235V	VVG, 2x35W CDM-T	3,80 kg	G12
0000-001705.235E	EVG, 2x35W CDM-T	2,50 kg	G12
0000-001705.270V	VVG, 2x70W CDM-T	4,50 kg	G12
0000-001705.270E	EVG, 2x70W CDM-T	2,80 kg	G12







DLN 255 IP54 WALL





Wall mounted IP54 luminaire for compact fluorescent lamp. Body is made of aluminium. All RAL colours are available.

- IP54
- 230 V 50 Hz
- Energy saving
- Dimmable
- CE



Index no.	Lamp	Weight	Socket
0000-003556.118V	VVG, 1x18W TC-D	2,60 kg	G24d - 2
0000-003556.118E	EVG, 1x18W TC-DEL	2,40 kg	G24q - 2
0000-003556.126V	VVG, 1x26W TC-D	2,60 kg	G24d - 3
0000-003556.126E	EVG, 1x26W TC-DEL	2,40 kg	G24q - 3
0000-003556.218V	VVG, 2x18W TC-D	2,80 kg	G24d - 2
0000-003556.218E	EVG, 2x18W TC-DEL	2,50 kg	G24q - 2
0000-003556.226V	VVG, 2x26W TC-D	2,80 kg	G24d - 3
0000-003556.226E	EVG, 2x26W TC-DEL	2,50 kg	G24q - 3





GOT STATWALL

Wall mounted outdoor CDM-TD luminaire. Body is made of aluminium and available in all RAL colours.

- IP54
- 230 V 50 Hz
- Energy saving
- Dimmable
- CE



Index no.	Lamp	Weight	Socket
214.70V	VVG, 1x70W CDM-TD	5,10 kg	Rx7s






WALL BOX - R

Wall recessed luminaire. Body is made of steel and aluminium, available in all RAL colours.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-001982.113E	EVG, 1x13W TC-DEL	2,50 kg	G24q-1
0000-001982.118E	EVG, 1x18W TC-DEL	2,50 kg	G24q-2




WALL HM

Wall mounted outdoor luminaire. Body is made of steel and aluminium, available in different RAL colours.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE



Index no.	Lamp	Weight	Socket
0000-001835.229E	EVG, 2x9W TC-S	2,60 kg	G23
0000-002033.118E	EVG, 1x18W TC-DEL	2,60 kg	G24q-2







FIFTYSIX BIG



Wall mounted outdoor luminaire. Body is made of stainless steel and aluminium, available in different RAL colours.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE





Index no.	Lamp	Weight	Socket
0000-002356.1150V	VVG, 1x150W HST	9,50 kg	E40

WALL LT

Wall mounted outdoor luminaire. Body is made of steel and aluminium, available in different RAL colours.

- IP54
- 230 V
50 Hz
- ▽
- ⊕
- CE




Index no.	Lamp	Weight	Socket
0000-002148.218E	EVG, 2x18W TC-L	3,50 kg	2G11

Wall or ground mounted outdoor luminaire. Body is made of steel and aluminium, available in all RAL colours.



Index no.	Lamp	Weight	Socket
0000-002753.1250	1x250W HIT	11,00 kg	E40
0000-002753.1400	1x400W HIT	11,00 kg	E40
0000-002754.1250	1x250W HST	11,00 kg	E40
0000-002754.1400	1x400W HST	12,20 kg	E40



RIGO SM

Wall or ground mounted outdoor luminaire. Body is made of steel and aluminium, available in all RAL colours.



Index no.	Lamp	Weight	Socket
0000-002752.1500	1x500W QT-DE	3,40 kg	R7s
0000-002751.170	1x70W HIT-DE/HST-DE	4,60 kg	Rx7s
0000-002751.1150	1x150W HIT-DE/HST-DE	5,50 kg	Rx7s
0000-001941.1E27	1xE27	5,50 kg	E27

